

Notice of Allowability	Application No.	Applicant(s)	
	10/010,461	MITSUNAGA ET AL.6	
	Examiner	Art Unit	
	Thor S. Campbell	3742	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to *papers filed 4/15/04*
- The allowed claim(s) is/are 25, 40
- The drawings filed on 12/16/03 are accepted by the Examiner.
- Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - All
 - Some*
 - None
 of the:
 - Certified copies of the priority documents have been received.
 - Certified copies of the priority documents have been received in Application No. _____.
 - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - hereto or 2) to Paper No./Mail Date _____.
 - including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
- DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- Notice of References Cited (PTO-892)
- Notice of Draftsperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
- Examiner's Comment Regarding Requirement for Deposit
of Biological Material
- Notice of Informal Patent Application (PTO-152)
- Interview Summary (PTO-413),
Paper No./Mail Date _____.
- Examiner's Amendment/Comment
- Examiner's Statement of Reasons for Allowance
- Other _____.

THOR S. CAMPBELL
PATENT EXAMINER

Allowable Subject Matter

Claims 25 and 40 are allowed.

The following is an examiner's statement of reasons for allowance: The closest prior art of record, Akahane, discloses a system for warming a fluid including a cartridge, which is capable of being detachably attached to a fluid heating device including a heater for heating a fluid to be transfused, comprising: a zigzag- shaped fluid path, through which the fluid passes, and a contact section being capable of contacting the heater, said contact section being made flat and constructed of a material that is heat conducting and transparent, wherein a sectional shape of said zigzag-shaped fluid path, which is perpendicular to a flowing direction of the fluid, is formed into a polygonal shape with sides that are substantially equilateral. However, the prior art of record, and specifically Akahane, does not teach to one of ordinary skill in the art, in combination with the other limitations of the independent claims, a system for warming a fluid wherein the fluid warmer further comprises temperature control thermistors between each contact plate region on the upper section and in contact with opposing contact plates on the lower section or a contact plate which thermally couples the heating element with the film of the cartridge wherein the contact plate has a plurality of separate regions and a plurality of thermistors that are operatively coupled to the cartridge and which are also coupled to a processor, with each of the plurality of thermistors and the processor controlling the fluid traveling through the plurality of separate regions to a different temperature.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue


fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thor S. Campbell whose telephone number is 703-306-9042. The examiner can normally be reached on Tue-Fri 5:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Pothier can be reached on 703-308-0265. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TSC
4/29/04



THOR CAMPBELL
PATENT EXAMINER